

ConferenceCam CC3000e

[Log In](#)
[Sign Up](#)
[Support](#)
[Downloads](#)
[Troubleshooting](#)
[Support Community](#)
[Contact Us](#)

Find the answer to your question

Logitech ConferenceCam CC3000e Technical Specifications



ConferenceCam CC3000e

	Model Number (M/N)	PID - M/N Location
Webcam	V-U0032	Bottom
Speakerphone	V-U0034	Bottom
USB Hub	V-U0033	Bottom
Remote	R-R0007	Battery compartment

NOTE: Information is for reference only and may be subject to change.

General Product Information	[Compliance Certification (CE) Link]
Warranty / Self Help	Please see the product support page for warranty information and frequently asked questions.
Category	Business
Software Support (at release)	N/A NOTE: If software is available, check website for latest software release.
OS Support (at release)	Windows 7, Windows 8, Mac 10.7 and later, Android (Chromebook only)
System Requirements	CPU Minimum = 1.9 GHz CPU Recommended = Intel Core 2 Duo 2.4 GHz or better RAM Minimum = 512 MB RAM Recommended = 2 GB
Client Applications	Lync (Standard Certified) Ciso Jabber (Certified) Skype (Certified for group calling) WebEx

Webcam Specifications	
Available Image(s)	
Connection Type	USB
USB VID_PID	0013
USB Protocol	USB 1.x
USB Speed	Full-speed

UVC Support	Yes
Lens and Sensor Type	Glass
Focus Type	Auto
Optical Resolution	True: 3MP Software Enhanced: N/A
Diagonal Field of View (FOV)	90°
Focal Length	Wide: 10cm to infinity, Tele: 80cm to infinity Macro test distance: 10cd
Frame Rate (max)	30FPS
Right Light	RightLight™ 2
Buttons	N/A
Indicator Lights (LED)	Yes
Privacy Shade	No
Tripod Mounting Option	No
Cable Length	16 feet or 5 meters

Speakerphone Specifications	
Speaker Type	1.0 speakers
USB VID_PID	0846
USB Protocol	USB 1.x
USB Speed	Full-speed
Buttons	<ul style="list-style-type: none"> • Mute • Tilt/Pan/Zoom • Volume control (up/down) • Answer call • End call (hang up) • Far End Control • Camera Presets • Bluetooth
Indicator Lights (LED)	Yes
Power Adapter	Yes
Cable Length (Power)	10 feet or 3 meters
Remote	Yes

Remote Specifications	
Available Image(s)	None
Remote Type	Infrared
Battery Details	Size: Coin cell Quantity: 1 Type: Alkaline

Product Dimensions				
Product component	Width	Depth/Length	Height	Weight
Speakerphone	236.9 mm (9.33 inches)	237.5 mm (9.37 inches)	63.3 mm (2.49 inches)	810 g (28.60 ounces)
Camera	130.6 mm (5.15 inches)	130.3 mm (5.13 inches)	154.2 mm (6.07 inches)	580 g (20.46 ounces)
Hub	73.5 mm (2.89 inches)	95 mm (3.74 inches)	32.5 mm (1.28 inches)	55 g (1.9 ounces)
Remote Control	50 mm (1.97 inches)	120 mm (4.72 inches)	10 mm (.39 inch)	40 g (1.4 ounces)

Package Contents	
Available Image(s)	None
What is in the box	Webcam, USB extender/cable, User documentation, Hub, Speakerphone

Additional Product Information	
ConferenceCam CC3000e is a "Conference Cam" solution that support 8 - 10 individuals and medium to larger conference rooms. It also includes the consistent feature requests heard from analysts, reviewers, partners and customers.	

Answer ID: 49368 | Published: 12/18/2013 11:08 AM | Updated: 02/21/2014 02:48 AM

[About](#) [Investors](#) [Contact](#) [Blog](#) [Careers](#) [Press](#) [Privacy + Security](#) [Terms of Use](#) [Sitemap](#) [Special Offers](#)

© 2014 Logitech. All rights reserved