



inTELEgent® Camera Control Panel CP-ITV4-S



Telemetrics inTELEgent® Camera Control Panel designed for the Sony EVI and BRC series Pan/Tilt/Zoom Video Cameras enhances function and value for Production, Teleconferencing, Educational, and High End Security Applications.

Features:

- » Four Pan/Tilt Camera Select Switches
- » Lens Focus Far/Near
- » Auto speed function
- » Six Preset Shot Switches
- » Lens Focus Auto/Man Local/Remote Select (Daisy Chain only)
- » Lens Iris Bright/Dark
- » Proportional Joystick for control of pan, tilt and zoom
- » Video Switcher (Daisy Chain Only)
- » Joystick Speed Up/Down (Kramer 6 x 1 Switcher - CVG-SW61CS)
- » Automatically adjusted joystick speed sensitivity for pan/tilt movement

The Telemetrics inTELEgent® Camera Control Panel CP-ITV4-S is an RS-232 serial desktop control panel designed to control Sony EVI-HD1,3,7 EVI-H100, EVI-D90, EVI-D80, EVI-D100, EVI-D70, EVI-D30, BRC-330, BRC-Z700, BRC-H700, and BRC-H900 cameras. The new intelligent proportional rate joystick provides smooth, simultaneous control of pan, tilt and zoom. Switches are provided to control focus and iris of each camera lens. Offers six stored presets, pan, tilt, zoom and focus positions to four cameras, can be recalled by selecting provided switches. In addition, user adjustable joystick speeds provide extreme fine control of the pan, tilt, and zoom. The Auto Speed function will automatically vary the speed of the pan/tilt joystick based on the current zoom position, with tighter zooms the joystick speeds will be slower allowing for more precise control. Interacting local and remote control panels, RS-232 interconnected, can control the cameras at either location by selecting the front panel. Local/Remote switch. RS-232 addressable external video switchers are also controllable when operating camera select buttons.

Accessories include P/T/Z camera ceiling mount bracket (CAM-CMBKT) and wall mount brackets (CAMWMBKTDH, CAMWMBKTHD1). The pan/tilt video cameras may be connected using daisy chain wiring or home run wiring. Various interconnecting cable accessories are available (not included).




inTELEgent® Camera Control Panel CP-ITV4-S

Accessories


CP-ITV-D300	3-Axis ITV Control Panel
-------------	--------------------------

System with Daisy Chain Wiring



*For Plenum cables, use part number CA-ITV-DP-XXX (where XXX=feet)

System with Home Run Wiring



*For Plenum cables, use part number CA-ITV-DP-XXX (where XXX=feet)

Specifications and features subject to change without notice




inTELEgent® Camera Control Panel CP-ITV4-S

Camera Mounting Brackets

CAM-CMBKT	Ceiling Mounting Bracket
CAMWMBKTDH CAMWMBKTHD1	Wall Mounting Brackets

Dimensions

Depth	5 in (127 mm)
Height	5.1 in (129.54 mm)
Width	7 in (177.8 mm)
Weight	2 lbs (0.907 kg)



Specifications and features subject to change without notice

Telemetrics
Camera Control Systems

6 Leighton Place, Mahwah, New Jersey, U.S.A. 07430 • phone: 201.848.9818 • fax: 201.848.9819 • telemetricinc.com